

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit anti Human Lysophosphatidic Acid Receptor 1 CT (EDG-2), Unconjugated NMB-C174P

Article Name	Rabbit anti Human Lysophosphatidic Acid Receptor 1 CT (EDG-2), Unconjugated
Biozol Catalog Number	NMB-C174P
Supplier Catalog Number	C174P
Alternative Catalog Number	NMB-C174P
Manufacturer	NordicMubio
Host	Rabbit
Category	Antikörper
Application	WB
Species Reactivity	Human
Immunogen	Synthetic peptide derived from the C terminal of the EDG2 receptor.
Conjugation	Unconjugated
Product Description	Endothelial cell differentiation gene-2 (EDG-2) receptor is a high affinity receptor for lysophosphatidic acid (LPA). EDG-2, also known as lysophospholipid receptor A1, Vzg-1, mrec1.3 or GPCR26, like all other EDG receptors, couple multiple (3 or mor
Concentration	See vial for concentration
Isotype	IgG
UniProt	Q92633

Buffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide
Purity	Ammonium Sulfate Precipitation
Formula	Provided as solution in phosphate buffered saline with 0.08% sodium azide
Application Notes	For Western blotting, starting dilution of 5-10 µg/ml is recommended. Western blot should be visualized using a high sensitivity secondary/substrate system (i.e. Pierces SuperSignal West Femto Maximum Sensitivity Substrate). Optimal concentration should