

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Chicken anti Botulinum Neurotoxin Type A (Heavy Chain Binding Domain), Gallus NMB-AHCA

| | |
|----------------------------|---|
| Article Name | Chicken anti Botulinum Neurotoxin Type A (Heavy Chain Binding Domain), Gallus |
| Biozol Catalog Number | NMB-AHCA |
| Supplier Catalog Number | AHcA |
| Alternative Catalog Number | NMB-AHCA |
| Manufacturer | NordicMubio |
| Host | Gallus |
| Category | Antikörper |
| Application | ELISA, WB |
| Product Description | Chicken anti Botulinum Neurotoxin Type A (Heavy Chain Binding Domain), Gallus 0,1 mg... |
| Concentration | See vial for concentration. |
| UniProt | PODPIO |
| Buffer | Phosphate buffered saline, pH 7.2 with 0.075% sodium azide |
| Source | Chickens were immunized with highly purified Botulinum Neurotoxin Type A (Heavy Chain Binding Domain) (HcA) (Clostridium botulinum). After multiple immunizations in Freund's adjuvant, eggs were collected and the IgY purified. Anti-Botulinum Neurotoxin Typ |
| Purity | Egg-yolk derived IgY Affinity Purified |
| Formula | Phosphate buffered saline, pH 7.2 with 0.075% sodium azide |

Application Notes

This antibody is suitable for ELISA and Western Blotting, For direct ELISA, a 1:10,000 dilution detects 2 ug coating of Botulinum Toxin A. For Western blot, the recommended dilution to probe 0.5 ug of unreduced holotoxin or heavy chain is 1:2000.