

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Chicken anti Human IgG (H/L) Absorbed against Mouse, Goat and Rabbit IgG, conjugated with FITC, Fluorescein, Gallus NMB-AHIGG-ABS-F

| Article Name | Chicken anti Human IgG (H/L) Absorbed against Mouse, Goat and Rabbit IgG, conjugated with FITC, Fluorescein, Gallus |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biozol Catalog Number | NMB-AHIGG-ABS-F |
| Supplier Catalog Number | AHIgG-Abs-F |
| Alternative Catalog Number | NMB-AHIGG-ABS-F |
| Manufacturer | NordicMubio |
| Host | Gallus |
| Category | Antikörper |
| Application | IHC |
| Conjugation | Fluorescein |
| Product Description | Chicken anti Human IgG (H/L) Absorbed against Mouse, Goat and Rabbit IgG, conjugated with FITC, Gallus 0,1 mg |
| Concentration | See vial for concentration. |
| Buffer | Phosphate buffered saline, pH 7.2, 50% glycerol with 0.075% sodium azide |
| Source | Chickens were immunized with highly purified normal human IgG. After multiple immunizations, eggs were collected and the IgY fraction prepared. This fraction was immunoaffinity purified from an immunoabsorbant. Anti human IgG was further absorbed against |
| Purity | Egg-yolk derived IgY Affinity Purified |

| Formula | Phosphate buffered saline, pH 7.2, 50% glycerol with 0.075% sodium azide |
|-------------------|-------------------------------------------------------------------------------------------------------------------------|
| Application Notes | Optimal working dilutions should be determined for your particular assay conditions. The F/P ration is between 3 and 6. |