

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Human IgA (Fc specific), Clone: [Polyclonal], Monoclonal NMB-GAHU/IGA(FC)/7S

| Article Name | Goat anti Human IgA (Fc specific), Clone: [Polyclonal], Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | NMB-GAHU/IGA(FC)/7S |
| Supplier Catalog Number | GAHu/lgA(Fc)/7S |
| Alternative Catalog Number | NMB-GAHU/IGA(FC)/7S |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Product Description | The reactivity of the antiserum is directed to the Fc subunit of the IgA molecule which expresses strict isotypic (class) specificity. It does not react with IgG, IgM and IgG/Fab or any non-Ig protein in human serum, as tested by immunoelectrophoresi |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |
| Buffer | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun down to remove i |
| Source | Purified normal IgA and monoclonal IgA2 isolated from human serum. Freunds complete adjuvant is used in the first step of the immunization procedure. |
| Formula | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |

Indirect immunofluorescence, ELISA, Dot blot, Immunoblotting.