

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Human Ig kappa light chain (free and bound), conjugated with TRITC, Clone: [Polyclonal], Monoclonal NMB-GAHU/BJK(SD+HD)/TRITC

| | |
|----------------------------|--|
| Article Name | Goat anti Human Ig kappa light chain (free and bound), conjugated with TRITC, Clone: [Polyclonal], Monoclonal |
| Biozol Catalog Number | NMB-GAHU/BJK(SD+HD)/TRITC |
| Supplier Catalog Number | GAHu/BJK(SD+HD)/TRITC |
| Alternative Catalog Number | NMB-GAHU/BJK(SD+HD)/TRITC |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Conjugation | TRITC |
| Product Description | The reactivity of the antiserum is directed to the surface and hidden determinants of Ig kappa light chain. In immunoelectrophoresis this antiserum is reacting with polyclonal and monoclonal immunoglobulins of the kappa type, Bence Jones proteins as ... |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |
| Buffer | Fluorochrome coupled purified goat IgG lyophilized from a solution in phosphate buffered saline (pH 7.2). No preservative added, as it may interfere with the antibody activity It is reconstituted by adding 1 ml sterile distilled water, spun down to remov |

| | |
|-------------------|---|
| Source | A pool of purified Bence Jones kappa proteins isolated from human urine. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formula | Fluorochrome coupled purified goat IgG lyophilized from a solution in phosphate buffered saline (pH 7.2). No preservative added, as it may interfere with the antibody activity |
| Application Notes | ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. |