

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Human Ig lambda light chain (free and bound), Clone: [Polyclonal], Monoclonal NMB-GAHU/BJL(SD+HD)

Article Name	Goat anti Human Ig lambda light chain (free and bound), Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAHU/BJL(SD+HD)
Supplier Catalog Number	GAHu/BJL(SD+HD)
Alternative Catalog Number	NMB-GAHU/BJL(SD+HD)
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Product Description	The reactivity of the antiserum is directed to the surface and hidden determinants of Ig lambda light chain. In immunoelectrophoresis this antiserum is reacting with polyclonal and monoclonal immunoglobulins of the lambda type, Bence Jones proteins a
Clonality	Monoclonal
Clone Designation	[Polyclonal]
Buffer	Delipidated, heat inactivated lyophilized whole serum. No preservative added, as it may interfere with the antibody activity It is reconstituted by adding 1 ml sterile distilled water, spun down to remove insoluble particles.
Source	A pool of purified Bence Jones lambda proteins isolated from human urine. Freunds complete adjuvant is used in the first step of the immunization procedure.

Formula	Delipidated, heat inactivated lyophilized whole serum. No preservative added, as it may interfere with the antibody activity
Application Notes	Precipitation assays. In immunoelectrophoresis use 2 μl serum or equivalent against 120 μl antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 μl antiserum in 3 mm diameter center well and 2 μl serum samples (neat