

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Human lactoferrin, conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-GAHU/LFR/FITC

| | |
|----------------------------|---|
| Article Name | Goat anti Human lactoferrin, conjugated with FITC, Clone: [Polyclonal], Monoclonal |
| Biozol Catalog Number | NMB-GAHU/LFR/FITC |
| Supplier Catalog Number | GAHu/Lfr/FITC |
| Alternative Catalog Number | NMB-GAHU/LFR/FITC |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Conjugation | FITC |
| Product Description | In immunoelectrophoresis against human milk a single precipitin line is obtained. The antiserum does not react with any other protein component of human serum or plasma. As reagent for the direct detection of lactoferrin in human cells, tissues and b... |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |
| UniProt | P02788 |
| Buffer | Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. |

| | |
|-------------------|--|
| Source | Exocrine organs produce various secretions, each with its characteristic function. Proteins found in secretions may be divided into two groups: those specific for the particular secretion, and plasma proteins independent of the type of exocrine cells. La |
| Formula | Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. |
| Application Notes | ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. The lyophilized conjugate is shipped at ambient temperature and may be stored at +4C, prolonged storage at or below -20C. It is reconstituted by adding 1 ml sterile |