

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Human prekallikrein, Clone: [Polyclonal], Monoclonal NMB-GAHU/PKK

Article Name	Goat anti Human prekallikrein, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAHU/PKK
Supplier Catalog Number	GAHu/PKK
Alternative Catalog Number	NMB-GAHU/PKK
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Product Description	The defined antibody specificity is to prekallikrein. Plasma kallikrein is present in two slightly different forms. This corresponds with two different forms of kallikrein after prekallikrein has been activated by Factor XIIa. Inactive plasma prekall
Clonality	Monoclonal
Clone Designation	[Polyclonal]
UniProt	P03952
Buffer	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentration in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added. Reconstitute the lyophilized antis
Source	Prekallikrein is a single-chain. Glycoprotein (MW 88,000) present in inactive form in plasma, pancreas and intestine. Prekallikrein is activated to kallikrein by Factor XIIa which in turn results from activation of Factor XII by prekallikrein combined wi

Formula	Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentration in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added.
Application Notes	Precipitation assays. In electroimmunodiffusion (Laurell) the amount of antiserum required in the agarose gel is usually between 1 and 2%, depending on the test arrangement.