

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat anti Monkey IgM (Fc specific), Clone: [Polyclonal], Monoclonal NMB-GAMON/IGM(FC)/7S

| Article Name               | Goat anti Monkey IgM (Fc specific), Clone: [Polyclonal], Monoclonal                                                                                                                                                                                            |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biozol Catalog Number      | NMB-GAMON/IGM(FC)/7S                                                                                                                                                                                                                                           |
| Supplier Catalog Number    | GAMon/IgM(Fc)/7S                                                                                                                                                                                                                                               |
| Alternative Catalog Number | NMB-GAMON/IGM(FC)/7S                                                                                                                                                                                                                                           |
| Manufacturer               | NordicMubio                                                                                                                                                                                                                                                    |
| Host                       | Goat                                                                                                                                                                                                                                                           |
| Category                   | Antikörper                                                                                                                                                                                                                                                     |
| Product Description        | The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with IgG, IgA and IgG/Fab or any non-Ig protein in monkey serum, as tested by immunoelectrophores     |
| Clonality                  | Monoclonal                                                                                                                                                                                                                                                     |
| Clone Designation          | [Polyclonal]                                                                                                                                                                                                                                                   |
| Buffer                     | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun down to remove i |
| Source                     | Purified homogenous IgM isolated from monkey serum.  Immunization with intact (19S) and split IgM (7S). Freunds complete adjuvant is used in the first step of the immunization procedure.                                                                     |
| Formula                    | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.                                                                                   |

Indirect immunofluorescence, ELISA, Dot blot, Immunoblotting.