

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Goat anti Monkey secretory component (free and bound), conjugated with TRITC, Clone: [Polyclonal], Monoclonal NMB-GAMON/SC/TRITC

Article Name	Goat anti Monkey secretory component (free and bound), conjugated with TRITC, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAMON/SC/TRITC
Supplier Catalog Number	GAMon/SC/TRITC
Alternative Catalog Number	NMB-GAMON/SC/TRITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Conjugation	TRITC
Product Description	Tested in immunoelectrophoresis, double radial immunodiffusion and ELISA against a panel of appropriate secretions and purified Ig isotypes. The antiserum reacts with both bound secretory component (secretory IgA) and with the free SC present in monk...
Clonality	Monoclonal
Clone Designation	[Polyclonal]
Buffer	Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity.

Source	Secretory component is present in monkey secretions bound to secretory IgA (sIgA) and in free form. Secretory IgA (sIgA) functions as a dimer or polymer and accounts for almost all specific mucosal antibody activity. A molecule of sIgA is made up of two
Formula	Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity.
Application Notes	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. The lyophilized conjugate is shipped at ambient temperature and may be stored at +4C, prolonged storage at or below -20C. It is reconstituted by adding 1 ml sterile