

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Mouse IgG1 IgG2a IgG2b IgG3 (heavy and light chains), Clone: [Polyclonal], Monoclonal NMB-GAM/IGG(H+L)/7S

| Article Name | Goat anti Mouse IgG1 IgG2a IgG2b IgG3 (heavy and light chains), Clone: [Polyclonal], Monoclonal |
|----------------------------|---|
| Biozol Catalog Number | NMB-GAM/IGG(H+L)/7S |
| Supplier Catalog Number | GAM/IgG(H+L)/7S |
| Alternative Catalog Number | NMB-GAM/IGG(H+L)/7S |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Product Description | The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in mouse serum, as |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |
| Buffer | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added. It is reconstituted by adding 1 ml sterile distilled wa |
| Source | Purified normal IgG, including all known subclasses, isolated from pooled mouse serum. Freunds complete adjuvant is used in the first step of the immunization procedure. |

| Formula | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added. |
|-------------------|--|
| Application Notes | Indirect immunofluorescence, ELISA, Dot blot, Immunoblotting. |