

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Rabbit IgG IgA IgM (heavy and light chains), conjugated with TRITC, Clone: [Polyclonal], Monoclonal NMB-GAR/IG/TRITC

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name | Goat anti Rabbit IgG IgA IgM (heavy and light chains), conjugated with TRITC, Clone: [Polyclonal], Monoclonal |
| Biozol Catalog Number | NMB-GAR/IG/TRITC |
| Supplier Catalog Number | GAR/Ig/TRITC |
| Alternative Catalog Number | NMB-GAR/IG/TRITC |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Conjugation | TRITC |
| Product Description | The reactivity of the antiserum is directed to the Fc and Fab subunits of the major immunoglobulins isotypes It does not react with any non-immunoglobulin in rabbit serum, as tested by immunoelectrophoresis and double radial immunodiffusion. To ident... |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |
| Buffer | TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun do |

| | |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Source | Purified immunoglobulin fractions containing IgG, IgA and IgM isolated from pooled rabbit serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formula | TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Application Notes | ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. |