

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat anti Rabbit milk proteins, Clone: [Polyclonal], Monoclonal NMB-GAR/TM

Article Name	Goat anti Rabbit milk proteins, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAR/TM
Supplier Catalog Number	GAR/TM
Alternative Catalog Number	NMB-GAR/TM
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Product Description	In immunoelectrophoresis against rabbit milk precipitation of not less than 8 different proteins may be obtained. However the number of visible precipitin lines varies widely among individual specimens of rabbit milk. The total concentration of prote
Clonality	Monoclonal
Clone Designation	[Polyclonal]
Buffer	Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added. Reconstitute the lyophilized a
Source	Pooled whole rhesus rabbit milk. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added.

**Application Notes** 

Precipitation assays. In immunoelectrophoresis use 2  $\mu$ l serum or equivalent against 120  $\mu$ l antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10  $\mu$ l antiserum in 3 mm diameter center well and 2  $\mu$ l serum samples (neat