



Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat anti Rat IgG1 IgG2a IgG2b IgG2c (Fc specific), conjugated with TRITC, Clone: [Polyclonal], Monoclonal NMB-GARA/IGG(FC)/TRITC

Article Name	Goat anti Rat IgG1 IgG2a IgG2b IgG2c (Fc specific), conjugated with TRITC, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GARA/IGG(FC)/TRITC
Supplier Catalog Number	GARa/IgG(Fc)/TRITC
Alternative Catalog Number	NMB-GARA/IGG(FC)/TRITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Conjugation	TRITC
Product Description	The reactivity of the antiserum is directed to the Fc subunit of the IgG molecule. The antiserum contains antibodies to subclass-specific determinants as well as to determinants shared by two or more subclasses of IgG. In immunoelectrophoresis and do
Clonality	Monoclonal
Clone Designation	[Polyclonal]
Buffer	TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun do

Source	Purified normal IgG, including all subclasses, isolated from pooled rat serum. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Application Notes	ELISA,Immunocytochemistry,Immunohistochemistry (frozen),(In)direct immunofluorescence.