

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit anti Guinea Pig IgG (heavy and light chains), conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-RAGP/IGG(H+L)/FITC

| Article Name | Rabbit anti Guinea Pig IgG (heavy and light chains), conjugated with FITC, Clone: [Polyclonal], Monoclonal |
|----------------------------|---|
| Biozol Catalog Number | NMB-RAGP/IGG(H+L)/FITC |
| Supplier Catalog Number | RAGp/lgG(H+L)/FITC |
| Alternative Catalog Number | NMB-RAGP/IGG(H+L)/FITC |
| Manufacturer | NordicMubio |
| Host | Rabbit |
| Category | Antikörper |
| Conjugation | FITC |
| Product Description | The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in guinea pig seru |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |
| Buffer | FITC-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. It is reconstituted by adding 2 ml sterile distilled water, spun down to remove insoluble particles, divided into |

BIOZOL

| Source | Purified normal IgG isolated from pooled guinea pig serum. Freunds complete adjuvant is used in the first step of the immunization procedure. |
|-------------------|---|
| Formula | FITC-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. |
| Application Notes | ELISA,Immunocytochemistry,Immunohistochemistry (frozen),(In)direct immunofluorescence. |