

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## ACE2 Antibody, Clone: [881CT16.4.4], Mouse, Monoclonal NSJ-F53797-0.1ML

Aride NameACE2 Antibody, Clone: [881CT16.4.4], Mouse, MonoclonalBiocol Catalog NumberSJS7570-1.0HLSupplier Catalog NumberSJS7570-1.0HLAltenative Catalog NumberNSJ-FS3797-0.1MLMandracturerNS BioreagentsHostMouseCategoryAntikörperAplicationELSA, WBNumogenDortion of amino acids 1-270 from the human protein was used as bright schedurschaft schedung scheduling, Sc		
Supplier Catalog NumberF53797-0.1MLAlternative Catalog NumberKSJ-F53797-0.1MLManufacturerNSJ BioreagentsHostMouseCategoryAntikörperCategoryELISA, WBSpecies ReactivityHumanImmunogenA portion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-9, a yasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIsascites with 0.09% sodium azideIonypeMouse IgM	Article Name	ACE2 Antibody, Clone: [881CT16.4.4], Mouse, Monoclonal
Alternative Catalog NumberNSJ-F5379-0.1MLManufacturerNSJ BioreagentsHostMouseCategoryAntikörperApplicationELISA, WBSpecies ReactivityHumanImmunogenAportion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionGarboxypeptidase which converts angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to angiotensin 1-9, as sodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with giptide of unknown function, and angiotensin I to an	Biozol Catalog Number	NSJ-F53797-0.1ML
NanufacturerNSJ BioreagentsHostMouseCategoryAntikörperApplicationELISA, WBSpecies ReactivityHumanImmunogenA portion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-9, a peptide of unknown function, and angiotensin I to angiotensin 1-9, a sociliator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIn ascites with 0.09% sodium azideIono Designation(B81CT16.4.4]IsotypeMouse IgM	Supplier Catalog Number	F53797-0.1ML
HostMouseCategoryAntikörperApplicationELISA, WBSpecies ReactivityHumanImmunogenA portion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-9, a peptide of unknown function, and angiotensin I to angiotensin 1-7, a vasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIsascites with 0.09% sodium azideClone DesignationKastori (Also)Kosto Page Mine Longe M	Alternative Catalog Number	NSJ-F53797-0.1ML
CategoryAntikörperApplicationELISA, WBSpecies ReactivityHumanImmunogenA portion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-9, a peptide of unknown function, and angiotensin II to angiotensin 1-7, a vasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIsaticts with 0.09% sodium azideIone DesignationIsatict 16.4.4]IotypeMouse IgM	Manufacturer	NSJ Bioreagents
ApplicationELISA, WBSpecies ReactivityHumanImmunogenA portion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-9, a peptide of unknown function, and angiotensin II to angiotensin 1-7, a vasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIn ascites with 0.09% sodium azideIsotypeMouse IgM	Host	Mouse
Species ReactivityHumanImmunogenA portion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-9, a peptide of unknown function, and angiotensin II to angiotensin 1-7, a vasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIn ascites with 0.09% sodium azideClone Designation[881CT16.4.4]IsotypeMouse IgM	Category	Antikörper
ImmunogenA portion of amino acids 1-270 from the human protein was used as the immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-7, a yasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIn ascites with 0.09% sodium azideIsotypeMouse IgM	Application	ELISA, WB
Immunogenthe immunogen for this ACE2 antibody.Product DescriptionCarboxypeptidase which converts angiotensin I to angiotensin 1-9, a peptide of unknown function, and angiotensin II to angiotensin 1-7, a vasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIn ascites with 0.09% sodium azideClone Designation[881CT16.4.4]IsotypeMouse IgM	Species Reactivity	Human
Product Descriptionpeptide of unknown function, and angiotensin II to angiotensin 1-7, a vasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. May be an important regulatClonalityMonoclonalConcentrationIn ascites with 0.09% sodium azideClone Designation[881CT16.4.4]IsotypeMouse IgM	Immunogen	· ·
ConcentrationIn ascites with 0.09% sodium azideClone Designation[881CT16.4.4]IsotypeMouse IgM	Product Description	peptide of unknown function, and angiotensin II to angiotensin 1-7, a vasodilator. Also able to hydrolyze apelin-13 and dynorphin-13 with
Clone Designation [881CT16.4.4]   Isotype Mouse IgM	Clonality	Monoclonal
Isotype Mouse IgM	Concentration	In ascites with 0.09% sodium azide
	Clone Designation	[881CT16.4.4]
UniProt Q9BYF1	Isotype	Mouse IgM
	UniProt	Q9BYF1

Buffer	In ascites with 0.09% sodium azide
Purity	Ascites
Form	In ascites with 0.09% sodium azide
Target	ACE2
Antibody Type	Primary Antibody
Application Dilute	Western blot: 1:2000
Application Notes	Titration of the ACE2 antibody may be required due to differences in protocols and secondary/substrate sensitivity.