

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Golgi Antibody, Clone: [GLG1/970], CF647, Mouse, Monoclonal NSJ-V2543CF647-100T

Article Name	Golgi Antibody, Clone: [GLG1/970], CF647, Mouse, Monoclonal
Biozol Catalog Number	NSJ-V2543CF647-100T
Supplier Catalog Number	V2543CF647-100T
Alternative Catalog Number	NSJ-V2543CF647-100T
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	FACS, IF
Species Reactivity	Human
Immunogen	The Golgi fraction from human liver cells was used as the immunogen for the Golgi Marker antibody.
Conjugation	CF647
Product Description	This MAb recognizes a protein of 134kDa, which binds fibroblast growth factor and E-selectin (cell-adhesion lectin on endothelial cells mediating the binding of neutrophils). Fucosylation is essential for binding to E-selectin. It contains sialic aci
Clonality	Monoclonal
Concentration	500 ul at 0.1 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Clone Designation	[GLG1/970]

Isotype	Mouse IgG1, kappa
UniProt	Q92896
Buffer	500 ul at 0.1 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Purity	Protein G affinity chromatography
Form	500 ul at 0.1 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Target	Golgi
Antibody Type	Primary Antibody
Application Dilute	Flow cytometry: 5ul per test per one million cells in 0.1ml or 5ul per 100ul of whole blood,Immunofluorescence: 1-2ug/ml
Application Notes	Optimal dilution of the Golgi Marker antibody should be determined by the researcher.