

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## MECA-79 Antibody / Peripheral Node Addressin / PNAd, Clone: [MECA-79], Rat, Monoclonal NSJ-V8344-20UG

Article Name	MECA-79 Antibody / Peripheral Node Addressin / PNAd, Clone: [MECA-79], Rat, Monoclonal
Biozol Catalog Number	NSJ-V8344-20UG
Supplier Catalog Number	V8344-20UG
Alternative Catalog Number	NSJ-V8344-20UG
Manufacturer	NSJ Bioreagents
Host	Rat
Category	Antikörper
Application	FACS, IF, IHC-P, WB
Species Reactivity	Human, Mouse, Rat
Immunogen	Mouse lymph node stromal cells were used as the immunogen for this MECA-79 antibody.
Product Description	MECA-79 recognizes a carbohydrate epitope shared with a group of sulfation decorated sialomucins, including sulfated ligands for CD62L (CD34, GlyCAM-1, Sgp200, and a subset of MAdCAM-1). This set antigens has been referred to as peripheral node addre
Clonality	Monoclonal
Concentration	0.2 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Clone Designation	[MECA-79]
Isotype	Rat IgM, kappa

Buffer	0.2 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Purity	Protein G affinity chromatography
Form	0.2 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Target	MECA-79
Antibody Type	Primary Antibody
Application Dilute	Flow cytometry: 1-2ug/million cells,Immunofluorescence: 1-2ug/ml,Western blot: 1-2ug/ml,Immunohistochemistry (FFPE): 1-2ug/ml
Application Notes	Optimal dilution of the antibody should be determined by the researcher.