

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-c-Myc tag (mouse monoclonal) (clone 9E10), IgG1, Monoclonal AGR-AS21-4620

| Article Name | Anti-c-Myc tag (mouse monoclonal) (clone 9E10), IgG1, Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | AGR-AS21-4620 |
| Supplier Catalog Number | AS21-4620 |
| Alternative Catalog Number | AGR-AS21-4620 |
| Manufacturer | Agrisera |
| Host | Mouse |
| Category | Antikörper |
| Application | FC, IHC, IP, WB |
| Immunogen | Conjugated synthetic peptide: AEEQKLISEEDLL derived from the C-terminal region of human c-Myc. UniProt: P01106 |
| Product Description | c-Myc is derived from Myc proto-oncogene protein. The c-Myc protein is a transcription factor (nuclear localization). c-Myc is commonly activated in a variety of tumor cells and plays an important role in cellular proliferation, differentiation, apop |
| Clonality | Monoclonal |
| Isotype | lgG1 |
| NCBI | 4609 |
| UniProt | P01106 |
| Purity | Immunoglobulin purified on Protein A. |
| Form | Liquid at 1 mg/ml. |

| Antibody Type | Monoclonal Antibody |
|--------------------|--|
| Application Dilute | 5-10 g/ml (IHC) paraffin, 1-5 g/ml (IP), 1-4 g/ml (Flowcyt), 0,5-2 g/ml (WB) |
| Application Notes | Immunohistochemistry (paraffin sections): positive control tissue: perfused brain sections, liver, spleen. Immunoprecipitation note: this antibody will not immunoprecipitate native c-Myc protein. Flow cytometry note: Intracellular or extracellular staini |