

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Nidogen/Enactin Monoclonal Antibody [JF3] - 50ul / Unconjugated, IgG2a, Rat IMQ-IQ313

| Article Name               | Nidogen/Enactin Monoclonal Antibody [JF3] - 50ul / Unconjugated, IgG2a, Rat |
|----------------------------|---|
| Biozol Catalog Number      | IMQ-IQ313   |
| Supplier Catalog Number    | IQ313   |
| Alternative Catalog Number | IMQ-IQ313-0.05  |
| Manufacturer               | ImmuQuest   |
| Host                       | Rat   |
| Category                   | Antikörper  |
| Application                | Blocking, ELISA, WB   |
| Species Reactivity         | Human, Mouse  |
| Immunogen                  | Recombinant fragment corresponding to the G1/Link region of mouse nidogen   |
| Product Description        | Rat Anti-Nidogen/Enactin [JF4]  |
| Clonality                  | Monoclonal  |
| Concentration              | 1mg/ml  |
| Clone Designation          | [JF3]   |
| Isotype                    | IgG2a   |
| NCBI                       | 4811  |

| Pubmed             | <a href="https://pubmed.ncbi.nlm.nih.gov/8496153" rel="nofollow" target="_blank">8496153</a>  |
|--------------------|---|
| UniProt            | P14543  |
| Buffer             | Affinity purified antibody from culture supernatant in 0.5 M acetic acid neutralized with 2 M Trizma  |
| Purity             | Protein G   |
| Form               | Affinity purified antibody from culture supernatant in 0.5 M acetic acid neutralized with 2 M Trizma  |
| Target             | Nidogen/Enactin   |
| Antibody Type      | Monoclonal Antibody   |
| Application Dilute | Optimal antibody dilution should be determined by titration, however as a guideline try, BL: Use at an assay dependent dilution. Blocks binding of nidogen to laminin.A WB: Use at an assay dependent dilution. Predicted molecular weight: 136 kDa |