

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Chromogranin A / CHGA (Neuroendocrine Marker) Antibody, IgG1, Clone: [rCHGA/777], Mouse, Monoclonal NBT-1113-MSM16-P0

| | |
|----------------------------|---|
| Article Name | Recombinant Chromogranin A / CHGA (Neuroendocrine Marker) Antibody, IgG1, Clone: [rCHGA/777], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-1113-MSM16-P0 |
| Supplier Catalog Number | 1113-MSM16-P0 |
| Alternative Catalog Number | NBT-1113-MSM16-P0-20,NBT-1113-MSM16-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human CHGA protein |
| Product Description | Chromogranin A is present in neuroendocrine cells throughout the body, including the neuroendocrine cells of the large and small intestine, adrenal medulla and pancreatic islets. It is an excellent marker for carcinoid tumors, pheochromocytomas, para... |
| Clonality | Monoclonal |
| Clone Designation | [rCHGA/777] |
| Molecular Weight | 68-75kDa |
| Isotype | IgG1 |

| | |
|-------------------|---|
| NCBI | 1113 |
| UniProt | P10645 |
| Form | 200ug/ml of recombinant MAb Purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |