

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Clusterin / Apolipoprotein J (APO-J) Antibody, IgG2c, Clone: [CLU/4727], Mouse, Monoclonal NBT-1191-MSM7-P1ABX

Article Name	Clusterin / Apolipoprotein J (APO-J) Antibody, IgG2c, Clone: [CLU/4727], Mouse, Monoclonal
Biozol Catalog Number	NBT-1191-MSM7-P1ABX
Supplier Catalog Number	1191-MSM7-P1ABX
Alternative Catalog Number	NBT-1191-MSM7-P1ABX-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC, WB
Species Reactivity	Human
Immunogen	Recombinant fragment (around aa150-300) of human CLU protein (exact sequence is proprietary)
Product Description	Clusterin, also designated complement lysis inhibitor (CLI), apolipoprotein J (APOJ), sulfated glycoprotein 2 (SGP2), SP40 and testosterone-repressed prostate message 2 (TRPM2), is a secretory, heterodimeric glycoprotein that influences immune regula
Clonality	Monoclonal
Clone Designation	[CLU/4727]
Molecular Weight	70kDa (precursor), 36-39kDa (a), 34-36kDa (a)
Isotype	lgG2c

NCBI	1191
UniProt	P10909
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Western Blot (2-4ug/ml), ,Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for