

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Granulocyte-Colony Stimulating Factor (G-CSF) Antibody, IgG1, Clone: [rCSF3/900], Mouse, Monoclonal NBT-1440-MSM3-P0

| | |
|----------------------------|---|
| Article Name | Recombinant Granulocyte-Colony Stimulating Factor (G-CSF) Antibody, IgG1, Clone: [rCSF3/900], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-1440-MSM3-P0 |
| Supplier Catalog Number | 1440-MSM3-P0 |
| Alternative Catalog Number | NBT-1440-MSM3-P0-20,NBT-1440-MSM3-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human, Monkey |
| Immunogen | Recombinant full-length human CSF3 protein |
| Product Description | This MAb recognizes granulocyte-colony stimulating factor (G-CSF) in the cytoplasm of mature granulocytes. It shows no reactivity with any other cell types. Markers of myeloid cells are useful in the identification of different levels of cellular dif... |
| Clonality | Monoclonal |
| Clone Designation | [rCSF3/900] |
| Molecular Weight | 19kDa |
| Isotype | IgG1 |

| | |
|-------------------|---|
| NCBI | 1440 |
| UniProt | P09919 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT) ,(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution |