

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Recombinant Thymidine Phosphorylase / PD-ECGF (Angiogenesis Marker) Antibody, IgG1, Clone: [rTYMP/3444], Mouse, Monoclonal NBT-1890-MSM3-P1ABX

Article Name	Recombinant Thymidine Phosphorylase / PD-ECGF (Angiogenesis Marker) Antibody, IgG1, Clone: [rTYMP/3444], Mouse, Monoclonal
Biozol Catalog Number	NBT-1890-MSM3-P1ABX
Supplier Catalog Number	1890-MSM3-P1ABX
Alternative Catalog Number	NBT-1890-MSM3-P1ABX-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	Recombinant full-length human Thymidine Phosphorylase (TP / PD-ECGF) protein
Product Description	Recognizes a protein (amino acid 482) of 55kDa (in vivo 110kDa homodimer), identified as platelet-derived endothelial growth factor (PD-ECGF), same as thymidine phosphorylase (TP) or gliostatin. In the presence of inorganic orthophosphate, it catalyz
Clonality	Monoclonal
Clone Designation	[rTYMP/3444]
Molecular Weight	55kDa
Isotype	lgG1

NCBI	1890
UniProt	P19971
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95&degC followed by cooling at RT for 20 minutes),Optimal dilutio