

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Thymidine Phosphorylase / PD-ECGF (Angiogenesis Marker) Antibody, Clone: [TYMP/2890R], Rabbit, Monoclonal NBT-1890-RBM2-P0

Article Name	Recombinant Thymidine Phosphorylase / PD-ECGF (Angiogenesis Marker) Antibody, Clone: [TYMP/2890R], Rabbit, Monoclonal
Biozol Catalog Number	NBT-1890-RBM2-P0
Supplier Catalog Number	1890-RBM2-P0
Alternative Catalog Number	NBT-1890-RBM2-P0-20,NBT-1890-RBM2-P0-100
Manufacturer	NeoBiotechnologies
Host	Rabbit
Category	Antikörper
Application	IHC, WB
Species Reactivity	Human, Mouse, Rat
Immunogen	Recombinant full-length human Thymidine Phosphorylase (TP / PD-ECGF) protein
Product Description	Recognizes a protein (amino acid 482) of 55kDa (in vivo 110kDa homodimer), identified as platelet-derived endothelial growth factor (PD-ECGF), same as thymidine phosphorylase (TP) or gliostatin. In the presence of inorganic orthophosphate, it catalyz
Clonality	Monoclonal
Clone Designation	[TYMP/2890R]
Molecular Weight	55kDa
NCBI	1890

UniProt	P19971
Form	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double 2005 azide. Also available WITHOUT BSA & Double 2005 azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Western Blot (2-4ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 min