

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Recombinant ERG (Vascular Endothelial & Prostate Marker) Antibody, Clone: [ERG/22R], Rabbit, Monoclonal NBT-2078-RBM2-P1ABX

Article Name	Recombinant ERG (Vascular Endothelial & Prostate Marker) Antibody, Clone: [ERG/22R], Rabbit, Monoclonal
Biozol Catalog Number	NBT-2078-RBM2-P1ABX
Supplier Catalog Number	2078-RBM2-P1ABX
Alternative Catalog Number	NBT-2078-RBM2-P1ABX-100
Manufacturer	NeoBiotechnologies
Host	Rabbit
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Synthetic peptide corresponding to residues within aa450 to C-terminus of ERG was used as an immunogen
Product Description	ERG (ETS-related gene) is a proto-oncogene, a member of the ETS family of transcription factors. The ERG gene encodes for a nuclear protein, also called ERG, which is involved in hematopoietic and endothelial development. ERG remains constitually exp
Clonality	Monoclonal
Clone Designation	[ERG/22R]
Molecular Weight	55kDa
NCBI	2078

UniProt	P11308
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & D.05% azide. Also available WITHOUT BSA & D.05% azide at 1.0mg/ml. Storage and Stability Antibody with azide - store at 2 to 8 C. Antibody without az
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 &degC followed by cooling at RT for 20 minutes)Optimal dilution