

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

AKT1 (Prognostic Marker for Neuroendocrine Tumors) Antibody, Clone: [AKT1/2784], Mouse, Monoclonal NBT-207-MSM4-P1ABX

| | |
|----------------------------|---|
| Article Name | AKT1 (Prognostic Marker for Neuroendocrine Tumors) Antibody, Clone: [AKT1/2784], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-207-MSM4-P1ABX |
| Supplier Catalog Number | 207-MSM4-P1ABX |
| Alternative Catalog Number | NBT-207-MSM4-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment of human AKT1 protein (around aa 85-189) (exact sequence is proprietary) |
| Product Description | Recognizes a protein of 62kDa, which is identified as AKT1. The serine/threonine kinase Akt family contains several members, including Akt1 (also designated PKB or RacPK), Akt2 (also designated PKB or RacPK-) and Akt 3 (also designated PKB or thymoma... |
| Clonality | Monoclonal |
| Clone Designation | [AKT1/2784] |
| Molecular Weight | 62kDa |
| NCBI | 207 |

| | |
|-------------------|--|
| UniProt | P31749 |
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 1mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Western Blot (1-2ug/ml),,Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 2 |