

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **MART-1 / Melan-A / MLANA (Melanoma Marker) Antibody, Rabbit, Polyclonal** **NBT-2315-RBP10-P0**

|                            |   |
|----------------------------|---|
| Article Name               | MART-1 / Melan-A / MLANA (Melanoma Marker) Antibody, Rabbit, Polyclonal   |
| Biozol Catalog Number      | NBT-2315-RBP10-P0   |
| Supplier Catalog Number    | 2315-RBP10-P0   |
| Alternative Catalog Number | NBT-2315-RBP10-P0-20,NBT-2315-RBP10-P0-100  |
| Manufacturer               | NeoBiotechnologies  |
| Host                       | Rabbit  |
| Category                   | Antikörper  |
| Application                | IHC, WB   |
| Species Reactivity         | Human, Mouse, Rat   |
| Immunogen                  | Recombinant human MLANA protein   |
| Product Description        | This antibody recognizes a protein doublet of 20-22kDa, identified as MART-1 (Melanoma Antigen Recognized by T cells 1) or Melan-A. MART-1 is a newly identified melanocyte differentiation antigen recognized by autologous cytotoxic T lymphocytes. Seve... |
| Clonality                  | Polyclonal  |
| Molecular Weight           | 20-22kDa (doublet)  |
| NCBI                       | <a href="#">2315</a>  |
| UniProt                    | <a href="#">Q16655</a>  |

|                   |   |
|-------------------|---|
| Form              | 200ug/ml of Ab Purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.  |
| Application Notes | Western Blot (2-4ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 min |