

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CD15 / FUT4 (Reed-Sternberg Cell Marker) Antibody, IgM, Clone: [Leu-M1, same as MMA], Mouse, Monoclonal NBT-2526-MSM1-P1BX

| Article Name | CD15 / FUT4 (Reed-Sternberg Cell Marker) Antibody, IgM, Clone: [Leu-M1, same as MMA], Mouse, Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | NBT-2526-MSM1-P1BX |
| Supplier Catalog Number | 2526-MSM1-P1BX |
| Alternative Catalog Number | NBT-2526-MSM1-P1BX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | FC, IF, IHC |
| Species Reactivity | Human |
| Immunogen | U937 histiocytic cell line |
| Product Description | CD15 plays a role in mediating phagocytosis, bactericidal activity, and chemotaxis. It is present on s disease. CD15 is occasionally expressed in large cell lymphomas of both B and T phenotypes which otherwise have a quite distinct histological appea |
| Clonality | Monoclonal |
| Clone Designation | [Leu-M1, same as MMA] |
| Molecular Weight | 220kDa |
| Isotype | IgM |

| NCBI | 2526 |
|-------------------|---|
| UniProt | P22083 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate. Prepared in 10mM PBS with 0.05% BSA & Double at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min |