

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant IDH1-R132H (Isocitrate Dehydrogenase) Antibody, Clone: [IDH1/6806R], Rabbit, Monoclonal NBT-3417-RBM6-P1ABX

| Article Name | Recombinant IDH1-R132H (Isocitrate Dehydrogenase) Antibody, Clone: [IDH1/6806R], Rabbit, Monoclonal |
|----------------------------|---|
| Biozol Catalog Number | NBT-3417-RBM6-P1ABX |
| Supplier Catalog Number | 3417-RBM6-P1ABX |
| Alternative Catalog Number | NBT-3417-RBM6-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment of human IDH1 protein (around aa 281-414) (exact sequence is proprietary) |
| Product Description | IDH1 R132H antibody binds to IDH1-mutated protein, but does not bind the wild-type IDH1 protein. IDH1 R132H point mutations are frequently seen in World Health Organization grade II and III gliomas and are believed to constitute an early step in tumo |
| Clonality | Monoclonal |
| Clone Designation | [IDH1/6806R] |
| Molecular Weight | 45-47kDa |
| NCBI | 3417 |

| UniProt | 075874 |
|-------------------|--|
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 1mM PBS with 0.05% BSA & amp; 0.05% azide. Also available WITHOUT BSA & amp; azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |