

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant IgG4 (Ig Heavy Constant Gamma 4) (G4m Marker) Antibody, Clone: [IGHG4/2042R], Rabbit, Monoclonal NBT-3503-RBM2-P0

| | |
|----------------------------|---|
| Article Name | Recombinant IgG4 (Ig Heavy Constant Gamma 4) (G4m Marker) Antibody, Clone: [IGHG4/2042R], Rabbit, Monoclonal |
| Biozol Catalog Number | NBT-3503-RBM2-P0 |
| Supplier Catalog Number | 3503-RBM2-P0 |
| Alternative Catalog Number | NBT-3503-RBM2-P0-20,NBT-3503-RBM2-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human IGHG4 protein |
| Product Description | The regions of relatively constant sequence beyond the variable regions of immunoglobulins are termed constant regions (C regions) and are present in both the heavy and light chains. With very few exceptions, the sites of attachment for carbohydrates... |
| Clonality | Monoclonal |
| Clone Designation | [IGHG4/2042R] |
| Molecular Weight | 150kDa |
| NCBI | 3503 |

| | |
|-------------------|---|
| UniProt | P01861 |
| Form | 200ug/ml of Ab Purified by Protein A Column. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95degC followed by cooling at RT for 20 minutes)Optimal dilu |