

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Fas Ligand (FASLG) Antibody, IgG1, Clone: [FASLG/4456], Mouse, Monoclonal NBT-356-MSM6-P0

Article Name	Fas Ligand (FASLG) Antibody, IgG1, Clone: [FASLG/4456], Mouse, Monoclonal
Biozol Catalog Number	NBT-356-MSM6-P0
Supplier Catalog Number	356-MSM6-P0
Alternative Catalog Number	NBT-356-MSM6-P0-20,NBT-356-MSM6-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Human recombinant FASLG protein fragment (around aa107-222) (exact sequence is proprietary)
Product Description	Cytotoxic T lymphocyte (CTL)-mediated cytotoxicity constitutes an important component of specific effector mechanisms in immunosurveillance against virus-infected or transformed cells. Two mechanisms appear to account for this activity, one of which is
Clonality	Monoclonal
Clone Designation	[FASLG/4456]
Molecular Weight	26kDa (soluble FAS-L) / 40kDa (FAS-L membrane)
Isotype	IgG1

NCBI	356
UniProt	P48023
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with0.05% BSA & Double are solded as a solded at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 &degC followed by cooling at RT for 20 minutes),Optimal diluti