

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Cytokeratin 15 (Esophageal Squamous Cell Carcinoma Marker) Antibody, IgG2a, Clone: [KRT15/1699], Mouse, Monoclonal NBT-3866-MSM2-P1ABX

| Article Name | Cytokeratin 15 (Esophageal Squamous Cell Carcinoma Marker) Antibody, IgG2a, Clone: [KRT15/1699], Mouse, Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | NBT-3866-MSM2-P1ABX |
| Supplier Catalog Number | 3866-MSM2-P1ABX |
| Alternative Catalog Number | NBT-3866-MSM2-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Bovine, Human, Rat |
| Immunogen | Recombinant human KRT15 protein |
| Product Description | Keratin 15 is a type I keratin which is expressed only in basal keratinocytes in stratified epithelia and does not appear to have a natural type II expression partner. Keratin 15 is down regulated in activated keratinocytes. Cytokeratin 15 is a speci |
| Clonality | Monoclonal |
| Clone Designation | [KRT15/1699] |
| Molecular Weight | 52kDa |
| Isotype | lgG2a |

| NCBI | 3866 |
|-------------------|---|
| UniProt | P19012 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (0.1-0.2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |