

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Cytokeratin 17 (KRT17) (Basal Epithelial Marker) Antibody, IgG2b, Clone: [SPM560], Mouse, Monoclonal NBT-3872-MSM1X-P0

Article Name	Cytokeratin 17 (KRT17) (Basal Epithelial Marker) Antibody, IgG2b, Clone: [SPM560], Mouse, Monoclonal
Biozol Catalog Number	NBT-3872-MSM1X-P0
Supplier Catalog Number	3872-MSM1X-P0
Alternative Catalog Number	NBT-3872-MSM1X-P0-20,NBT-3872-MSM1X-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	FC, IF, IHC, WB
Species Reactivity	Bovine, Goat, Human, Porcine, Rat
Immunogen	The cytoskeletal fraction of rat colon epithelium
Product Description	Cytokeratin 17 (CK17) is a member of the Cytokeratin subfamily of intermediate filament proteins (IFPs). It is unique in that it is normally expressed in the basal cells of complex epithelia but not in stratified or simple epithelia. CK17 is expresse
Clonality	Monoclonal
Clone Designation	[SPM560]
Molecular Weight	46kDa
Isotype	lgG2b

NCBI	3872
UniProt	Q04695
Form	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalinfixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA