

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Lactotransferrin / Lactoferrin / LTF Antibody, IgG2b, Clone: [LTF/4075], Mouse, Monoclonal NBT-4057-MSM5-P0

| | |
|----------------------------|---|
| Article Name | Lactotransferrin / Lactoferrin / LTF Antibody, IgG2b, Clone: [LTF/4075], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-4057-MSM5-P0 |
| Supplier Catalog Number | 4057-MSM5-P0 |
| Alternative Catalog Number | NBT-4057-MSM5-P0-20,NBT-4057-MSM5-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment (around aa614-645) of human Lactotransferrin protein (exact sequence is proprietary) |
| Product Description | Ferritin and transferrins manage necessary iron-binding functions for iron metabolism. Transferrins comprise a class of single-chain, two-sited, metal-binding proteins expressed throughout the fluid and cells of vertebrates. The three major types of ... |
| Clonality | Monoclonal |
| Clone Designation | [LTF/4075] |
| Molecular Weight | 78kDa |
| Isotype | IgG2b |

| | |
|-------------------|---|
| NCBI | 4057 |
| UniProt | P02788 |
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |