

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Ep-CAM / CD326 (Cytoplasmic Domain) (Epithelial Marker) Antibody, IgG2b, Clone: [EGP40/1110], Mouse, Monoclonal NBT-4072-MSM10-P1ABX

Article Name	Ep-CAM / CD326 (Cytoplasmic Domain) (Epithelial Marker) Antibody, IgG2b, Clone: [EGP40/1110], Mouse, Monoclonal
Biozol Catalog Number	NBT-4072-MSM10-P1ABX
Supplier Catalog Number	4072-MSM10-P1ABX
Alternative Catalog Number	NBT-4072-MSM10-P1ABX-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Canine, Feline, Human
Immunogen	Recombinant fragment from cytoplasmic domain (around aa 289-314) of human EpCAM (exact sequence is proprietary)
Product Description	EGP40 is a 40-43kDa transmembrane epithelial glycoprotein, also identified as epithelial specific antigen (ESA), or epithelial cellular adhesion molecule (Ep-CAM). It is expressed on baso-lateral cell surface in most simple epithelia and a vast major
Clonality	Monoclonal
Clone Designation	[EGP40/1110]
Molecular Weight	40-43kDa
Isotype	lgG2b

NCBI	4072
UniProt	P16422
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti