

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant CD99 / MIC2 (Ewing s Sarcoma Marker) Antibody, Clone: [MIC2/3478R], Rabbit, Monoclonal NBT-4267-RBM8-P0

| Article Name | Recombinant CD99 / MIC2 (Ewing s Sarcoma Marker) Antibody, Clone: [MIC2/3478R], Rabbit, Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | NBT-4267-RBM8-P0 |
| Supplier Catalog Number | 4267-RBM8-P0 |
| Alternative Catalog Number | NBT-4267-RBM8-P0-20,NBT-4267-RBM8-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Synthetic peptide corresponding to CD99 residues within aa85 C terminal of CD99 was used as an immunogen |
| Product Description | CD99 is a type I transmembrane glycoprotein encoded by the CD99 gene and the functions of CD99 in cells in which CD99 was highly expressed have been studied and they were as follows: cell death of thymocytes and T lymphocytes, migration through monoc |
| Clonality | Monoclonal |
| Clone Designation | [MIC2/3478R] |
| Molecular Weight | 19kDa |
| NCBI | 4267 |

| UniProt | P14209 |
|-------------------|--|
| Form | 200ug/ml of Ab purified by Protein A Column. Prepared in 10mM PBS with 0.05% BSA & D.05% azide. Also available WITHOUT BSA & D.05% azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |