

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

c-Myc Oncoprotein Antibody, IgG1, Clone: [MYC275], Mouse, Monoclonal NBT-4609-MSM3-P0

| | |
|----------------------------|---|
| Article Name | c-Myc Oncoprotein Antibody, IgG1, Clone: [MYC275], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-4609-MSM3-P0 |
| Supplier Catalog Number | 4609-MSM3-P0 |
| Alternative Catalog Number | NBT-4609-MSM3-P0-20,NBT-4609-MSM3-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | FC, IF, IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant human c-myc protein |
| Product Description | The c-Myc protein is a transcription factor, which is encoded by the c-Myc gene on human chromosome 8q24. c-Myc is commonly activated in a variety of tumor cells and plays an important role in cellular proliferation, differentiation, apoptosis and ce... |
| Clonality | Monoclonal |
| Clone Designation | [MYC275] |
| Molecular Weight | 62-64kDa |
| Isotype | IgG1 |
| NCBI | 4609 |

| | |
|-------------------|---|
| UniProt | P01106 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min |