

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant NGF-Receptor (p75) / CD271 (Soft Tissue Tumor Marker) Antibody, Clone: [NGFR/1997R], Rabbit, Monoclonal NBT-4804-RBM7-P0

| | |
|----------------------------|---|
| Article Name | Recombinant NGF-Receptor (p75) / CD271 (Soft Tissue Tumor Marker) Antibody, Clone: [NGFR/1997R], Rabbit, Monoclonal |
| Biozol Catalog Number | NBT-4804-RBM7-P0 |
| Supplier Catalog Number | 4804-RBM7-P0 |
| Alternative Catalog Number | NBT-4804-RBM7-P0-20,NBT-4804-RBM7-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human, Primate |
| Immunogen | Recombinant human full-length p75 NGFR protein |
| Product Description | It recognizes a glycoprotein of 75kDa, identified as low affinity Nerve Growth Factor (NGF) Receptor (p75NGFR) or Neurotrophin Receptor (p75NTR). NGFR is expressed in various neural crest cells and their tumors such as melanocytes, melanomas, neurobl... |
| Clonality | Monoclonal |
| Clone Designation | [NGFR/1997R] |
| Molecular Weight | 75kDa |
| NCBI | 4804 |

| | |
|-------------------|---|
| UniProt | P08138 |
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |