

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Recombinant Bcl-2 (Apoptosis& Follicular Lymphoma Marker) Antibody, IgG2a, Clone: [rBCL2/6418], Mouse, Monoclonal NBT-596-MSM14-P0**

Article Name	Recombinant Bcl-2 (Apoptosis& Follicular Lymphoma Marker) Antibody, IgG2a, Clone: [rBCL2/6418], Mouse, Monoclonal
Biozol Catalog Number	NBT-596-MSM14-P0
Supplier Catalog Number	596-MSM14-P0
Alternative Catalog Number	NBT-596-MSM14-P0-20,NBT-596-MSM14-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	FC, IF, IHC, WB
Species Reactivity	Human
Immunogen	A synthetic peptide, aa41-54 (GAAPAPGIFSSQPG-Cys) of human Bcl-2 protein.
Product Description	This antibody recognizes a protein of 25-26kDa, identified as the bcl-2 alpha oncoprotein. It shows no cross-reaction with Bcl-x or Bax protein. Expression of bcl-2 alpha oncoprotein inhibits the programmed cell death (apoptosis). In most follicular l...
Clonality	Monoclonal
Clone Designation	[rBCL2/6418]
Molecular Weight	25-26kDa
Isotype	IgG2a

NCBI	<a href="#">596</a>
UniProt	<a href="#">P10415</a>
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT), (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1