

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Bcl-2 (Apoptosis & Follicular Lymphoma Marker) Antibody, IgG1, Clone: [SPM530], Mouse, Monoclonal NBT-596-MSM3X-P1ABX

| | |
|----------------------------|---|
| Article Name | Bcl-2 (Apoptosis & Follicular Lymphoma Marker) Antibody, IgG1, Clone: [SPM530], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-596-MSM3X-P1ABX |
| Supplier Catalog Number | 596-MSM3X-P1ABX |
| Alternative Catalog Number | NBT-596-MSM3X-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | FC, IF, IHC, WB |
| Species Reactivity | Human |
| Immunogen | A synthetic peptide, aa41-54 (GAAPAPGIFSSQPG-Cys) of human Bcl-2 protein |
| Product Description | This antibody recognizes a protein of 25-26kDa, identified as the bcl-2 lpha oncoprotein. It shows no cross-reaction with Bcl-x or Bax protein. Expression of bcl-2 lpha oncoprotein inhibits the programmed cell death (apoptosis). In most follicular ly... |
| Clonality | Monoclonal |
| Clone Designation | [SPM530] |
| Molecular Weight | 25-26kDa |
| Isotype | IgG1 |

| | |
|-------------------|---|
| NCBI | 596 |
| UniProt | P10415 |
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1m |