

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant BcI-2 (Apoptosis & Follicular Lymphoma Marker) Antibody, Clone: [BCL2/6426R], Rabbit, Monoclonal NBT-596-RBM15-P1ABX

Article Name	Recombinant Bcl-2 (Apoptosis & Follicular Lymphoma Marker) Antibody, Clone: [BCL2/6426R], Rabbit, Monoclonal
Biozol Catalog Number	NBT-596-RBM15-P1ABX
Supplier Catalog Number	596-RBM15-P1ABX
Alternative Catalog Number	NBT-596-RBM15-P1ABX-100
Manufacturer	NeoBiotechnologies
Host	Rabbit
Category	Antikörper
Application	FC, IF, IHC, WB
Species Reactivity	Human
Immunogen	Synthetic peptide, aa41-54 (GAAPAPGIFSSQPG-Cys) of human Bcl-2 protein
Product Description	This antibody recognizes a protein of 25-26kDa, identified as the bcl-2 lpha oncoprotein. It shows no cross-reaction with Bcl-x or Bax protein. Expression ofbcl-2 lpha oncoprotein inhibits the programmed cell death (apoptosis). In most follicular lym
Clonality	Monoclonal
Clone Designation	[BCL2/6426R]
Molecular Weight	25-26kDa
NCBI	596

UniProt	P10415
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), ,Immunohistochemistry (Formalinfixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1m