

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant p53 Tumor Suppressor Protein Antibody, IgG1, Clone: [rTP53/1739], Mouse, Monoclonal NBT-7157-MSM16-P0

| | |
|----------------------------|--|
| Article Name | Recombinant p53 Tumor Suppressor Protein Antibody, IgG1, Clone: [rTP53/1739], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-7157-MSM16-P0 |
| Supplier Catalog Number | 7157-MSM16-P0 |
| Alternative Catalog Number | NBT-7157-MSM16-P0-20,NBT-7157-MSM16-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human TP53 protein |
| Product Description | The specificity of this monoclonal antibody to its intended target was validated by HuProt™ Array, containing more than 19,000, full-length human proteins. Recognizes a 53kDa protein, which is identified as p53 suppressor gene product. It reacts wit... |
| Clonality | Monoclonal |
| Clone Designation | [rTP53/1739] |
| Molecular Weight | 53kDa. |
| Isotype | IgG1 |

| | |
|-------------------|---|
| NCBI | 7157 |
| UniProt | P04637 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Western Blotting (1-2ug/ml), Immunohistology (Formalin-fixed) (0.5-1.0ug/ml for 30 minutes at RT) ,(Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minute |