

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

p53 Tumor Suppressor Protein Antibody, IgG2a, Clone: [TP53/1739], Mouse, Monoclonal NBT-7157-MSM9-P0

| Article Name | p53 Tumor Suppressor Protein Antibody, IgG2a, Clone: [TP53/1739], Mouse, Monoclonal |
|----------------------------|--|
| Biozol Catalog Number | NBT-7157-MSM9-P0 |
| Supplier Catalog Number | 7157-MSM9-P0 |
| Alternative Catalog Number | NBT-7157-MSM9-P0-20,NBT-7157-MSM9-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human TP53 protein |
| Product Description | The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a 53kDa protein, which is identified as p53 suppressor gene product. It reacts wit |
| Clonality | Monoclonal |
| Clone Designation | [TP53/1739] |
| Molecular Weight | 53kDa. |
| Isotype | IgG2a |

| NCBI | 7157 |
|-------------------|--|
| UniProt | P04637 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (0.25-0.5ug/ml for 30 minutes at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for |