

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Histone H3, phosphorylated (pSer10) (Nuclear Marker) Antibody, IgG1, Clone: [rPHH3/6824], Mouse, Monoclonal NBT-8350-MSM4-P0

Article Name	Recombinant Histone H3, phosphorylated (pSer10) (Nuclear Marker) Antibody, IgG1, Clone: [rPHH3/6824], Mouse, Monoclonal
Biozol Catalog Number	NBT-8350-MSM4-P0
Supplier Catalog Number	8350-MSM4-P0
Alternative Catalog Number	NBT-8350-MSM4-P0-20,NBT-8350-MSM4-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	A synthetic peptide corresponding to (ARK-pS-TGGKAPRKQLc) of Phosphohistone H3 (phospho S10)
Product Description	Phosphohistone H3 (PHH3) is a marker specific for cells undergoing mitosis. Serine 10 of Histone H3 is phosphorylated in association with mitotic chromatin condensation in late G2 and M phase of the cell cycle and thus, PHH3 can distinguish mitosis f
Clonality	Monoclonal
Clone Designation	[rPHH3/6824]
Molecular Weight	15kDa
Isotype	IgG1

NCBI	8350
UniProt	P68431
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 1mM PBS with 0.05% BSA & Double are a saide. Also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti