

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Recombinant CD7 (T-Cell Leukemia Marker) Antibody, IgG1, Clone: [rCD7/6972], Mouse, Monoclonal NBT-924-MSM12-P0

Article Name	Recombinant CD7 (T-Cell Leukemia Marker) Antibody, IgG1, Clone: [rCD7/6972], Mouse, Monoclonal
Biozol Catalog Number	NBT-924-MSM12-P0
Supplier Catalog Number	924-MSM12-P0
Alternative Catalog Number	NBT-924-MSM12-P0-20,NBT-924-MSM12-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant fragment (around aa140-240) of human CD7 protein (exact sequence is proprietary)
Product Description	Recognizes a protein of 40kDa, identified as CD7 (also known as gp40, Leu9). CD7 is a member of the immunoglobulin gene superfamily. Its N-terminal amino acids 1-107 are highly homologous to Ig kappa-L chains whereas the carboxyl-terminal region of t
Clonality	Monoclonal
Clone Designation	[rCD7/6972]
Molecular Weight	40kDa
Isotype	lgG1

NCBI	924
UniProt	P09564
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double are a side. Also available WITHOUT BSA & Double at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95&degC followed by cooling at RT for 20 minutes),Optimal dilutio