

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant CD38 (ADP Ribosyl Cyclase I) Antibody, Clone: [CD38/6448R], Rabbit, Monoclonal NBT-952-RBM10-P0

| | |
|----------------------------|---|
| Article Name | Recombinant CD38 (ADP Ribosyl Cyclase I) Antibody, Clone: [CD38/6448R], Rabbit, Monoclonal |
| Biozol Catalog Number | NBT-952-RBM10-P0 |
| Supplier Catalog Number | 952-RBM10-P0 |
| Alternative Catalog Number | NBT-952-RBM10-P0-20,NBT-952-RBM10-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Human |
| Immunogen | Synthetic peptide corresponding to residues within aa 200-300 of human CD38 (exact sequence is proprietary) |
| Product Description | CD38 is a type II transmembrane glycoprotein that is present on early B- and T-cell lineages and activated B- and T-cells but is absent from most mature resting peripheral lymphocytes. CD38 is found on thymocytes, pre-B cells, germinal center B-cells... |
| Clonality | Monoclonal |
| Clone Designation | [CD38/6448R] |
| Molecular Weight | ~45kDa (Glycoprotein), 35kDa (protein core) |
| NCBI | 952 |

| | |
|-------------------|---|
| UniProt | P28907 |
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for |