

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Recombinant CD39 Antibody, Clone: [CD39/8538R], Rabbit, Monoclonal NBT-953-RBM3-P0

|                            |   |
|----------------------------|---|
| Article Name               | Recombinant CD39 Antibody, Clone: [CD39/8538R], Rabbit, Monoclonal  |
| Biozol Catalog Number      | NBT-953-RBM3-P0   |
| Supplier Catalog Number    | 953-RBM3-P0   |
| Alternative Catalog Number | NBT-953-RBM3-P0-20,NBT-953-RBM3-P0-100  |
| Manufacturer               | NeoBiotechnologies  |
| Host                       | Rabbit  |
| Category                   | Antikörper  |
| Application                | IHC   |
| Species Reactivity         | Human   |
| Immunogen                  | Recombinant full-length human CD39 protein  |
| Product Description        | CD39, also known as ectonucleoside triphosphate diphosphohydrolase 1 (ENP1), is an integral membrane glycoprotein that acts as an extracellular nucleotide-hydrolyzing enzyme. CD39 inhibits ADP-induced platelet aggregation by hydrolyzing ADP to AMP, a... |
| Clonality                  | Monoclonal  |
| Clone Designation          | [CD39/8538R]  |
| Molecular Weight           | 70-100 kDa  |
| NCBI                       | <a href="#">953</a>   |

|                   |  |
|-------------------|--|
| UniProt           | <a href="#">P49961</a>   |
| Form              | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.   |
| Antibody Type     | Recombinant Monoclonal Antibody  |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95&degC followed by cooling at RT for 20 minutes),Optimal dilutio |