

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## CD90 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody, IgG1, Clone: [IBL-6/23], Rat, Monoclonal NBT-MS21838-RTM1-P0

Article Name	CD90 (Anti-Mouse) (Stromal / Mesenchymal Marker) Antibody, IgG1, Clone: [IBL-6/23], Rat, Monoclonal
Biozol Catalog Number	NBT-MS21838-RTM1-P0
Supplier Catalog Number	MS21838-RTM1-P0
Alternative Catalog Number	NBT-MS21838-RTM1-P0-20,NBT-MS21838-RTM1-P0-100
Manufacturer	NeoBiotechnologies
Host	Rat
Category	Antikörper
Application	FC, IF
Species Reactivity	Mouse
Immunogen	Mouse EL-4 T cell lymphoma cells
Product Description	Recognizes a protein of 25kDa, identified as mouse Thy-1 (also known as CD90). It is a glycosyl phosphatidylinositol-anchored surface glycoprotein. CD90 is a member of the immunoglobulin superfamily. It may contribute to inhibition of proliferation/d
Clonality	Monoclonal
Clone Designation	[IBL-6/23]
Molecular Weight	25kDa
Isotype	IgG1

NCBI	21838
UniProt	P01831
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Protein A/G. Prepared in 10mM PBS with 0.05% BSA & Double Concentrate by Protein A/G. Prote
Antibody Type	Monoclonal Antibody
Application Notes	Flow Cytometry (1-2ug/million cells in 0.1ml), ,Immunofluorescence (1-2ug/ml), ,Optimal dilution for a specific application should be determined.