

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Cytokeratin 5/6 (Basal, Myoepithelial & Mesothelial Cell Marker) Antibody, IgG1, Clone: [KRT5.6/2090], Mouse, Monoclonal NBT-MSM38-2438-P0

| | |
|----------------------------|---|
| Article Name | Cytokeratin 5/6 (Basal, Myoepithelial & Mesothelial Cell Marker) Antibody, IgG1, Clone: [KRT5.6/2090], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-MSM38-2438-P0 |
| Supplier Catalog Number | MSM38-2438-P0 |
| Alternative Catalog Number | NBT-MSM38-2438-P0-20,NBT-MSM38-2438-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human KRT5 protein |
| Product Description | It recognizes polypeptides of 58kDa and 56kDa, identified as cytokeratin 5 and 6 respectively. It shows no reaction with keratin 1, 8, or 19. It stains the basal cells of squamous and glandular epithelia, part of stratum spinosum of squamous epitheli... |
| Clonality | Monoclonal |
| Clone Designation | [KRT5.6/2090] |
| Molecular Weight | 58kDa (KRT5), 56kDa (KRT6A) |
| Isotype | IgG1 |

| | |
|-------------------|--|
| NCBI | 3852 |
| UniProt | P13647 |
| Form | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilution for |